

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: Dentamat 500 Entwickler

· Article number: 10095

· UFI: HU21-K0QG-E008-FYMH

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 No further relevant information available.

· **Application of the substance / the mixture**

Photochemicals
 Developer for X-ray films
 Reserved for industrial and professional use.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Calbe Chemie GmbH
 Stadtfeld 31
 D-39240 Calbe
 Tel.: +49 (0)39291 425-0
 Fax: +49 (0)39291 425-25
 e-mail: info@calbe-chemie.de
 www.calbe-chemie.de

· **Informing department:**

Tel.: +49 (0)39291 42515
 E-Mail: rs@calbe-chemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 (0) 700-24112112 (CAL)
 Tel.: +1 872 5888271(CAL)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 1)



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

· **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 2)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 123-31-9 EINECS: 204-617-8	hydroquinone ----- ☠ Muta. 2, H341; Carc. 2, H351 ☹ Eye Dam. 1, H318 ☣ Aquatic Acute 1, H400 (M=10) ☠ Acute Tox. 4, H302; Skin Sens. 1, H317	≥ 3 - ≤ 5%
CAS: 139-89-9 EINECS: 205-381-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution ----- ☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5 - 2%
CAS: 1310-58-3 EINECS: 215-181-3	potassium hydroxide ----- ☠ Met. Corr.1, H290; Skin Corr. 1A, H314 ☠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A;H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥ 0.5 - < 2%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin- 3-one ----- ☣ Aquatic Chronic 2, H411 ☠ Acute Tox. 4, H302; Skin Sens. 1, H317	≥ 0.25 - < 0.5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.

· **After inhalation** Supply fresh air.

· **After skin contact** Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 3)

- **After eye contact**
Rinse opened eye for several minutes under running water (at least 15 minutes).
Remove contact lenses, if present and easy to do.
Protect uninjured eye.
Call a doctor immediately.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed**
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Sulphur oxides (SO_x)
Carbon monoxide
- **5.3 Advice for firefighters**
- **Protective equipment:**
At formation of toxic gases:
Do not inhale explosion gases or combustion gases.
- **Additional information** The product is not flammable

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or water bodies.
Inform respective authorities in case product reaches water or sewage system.
Do not allow to enter drainage system, surface or ground water.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 4)

- **6.3 Methods and material for containment and cleaning up:**
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Do not handle until all safety precautions have been read and understood.
- **Information about protection against explosions and fires:**
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store only in unopened original containers.
Keep container tightly closed in a cool, well-ventilated place.
- **Information about storage in one common storage facility:**
Store away from oxidising agents.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 5)

123-31-9 hydroquinone	
OEL (Ireland)	Long-term value: 0.5 mg/m ³ Sens
1310-58-3 potassium hydroxide	
OEL (Ireland)	Short-term value: 2 mg/m ³

· **Additional information:**

The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Wash contaminated clothing before reuse.

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· **Breathing equipment:** Not required.

· **Hand protection**

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for the permeation: Level:

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 6)

≥ 3 (60 min)

- **Eye/face protection** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- **Physical state** Fluid
- **Colour:** Light yellow
Clear
- **Odour:** Not characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** < 5 °C
- **Boiling point or initial boiling point and boiling range** > 100 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable
- **Decomposition temperature:** Not determined.
- **pH at 25 °C** 11.1
- **Viscosity:**
- **Kinematic viscosity** Not determined
- **dynamic:** Not determined
- **Solubility**
- **Water:** miscible
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density and/or relative density**
- **Density at 20 °C** 1.29 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.

· **9.2 Other information**

- **Appearance:**
- **Form:** Fluid

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 7)

· Important information on protection of health and environment, and on safety.

- | | |
|--------------------------------|------------------------------|
| · Self-inflammability: | Product is not selfigniting. |
| · Explosive properties: | Product is not explosive. |
| · Solvent content: | |
| · Organic solvents: | 0.0 % |
| · Water: | ~ 65 % |
| · Change in condition | |
| · Softening point/range | |
| · Oxidising properties | None |
| · Evaporation rate | Not determined. |

· Information with regard to physical hazard classes

- | | |
|--|------|
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong acids

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 8)

- Reacts with acids releasing sulphur dioxide
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
At present there are no animal experimental data.
This statement was deduced from the properties of the single components.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

95-14-7 | benzotriazole

List II

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not determined
- **12.2 Persistence and degradability** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 9)

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Ecotoxicological effects:** No further relevant information available.

· **Remark:** Very toxic for fish

· **Behaviour in sewage processing plants:** Not determined

· **Additional ecological information:**

· **General notes:**

This statement was deduced from the properties of the single components.
 Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

At present there are no ecotoxicological assessments.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Very toxic for aquatic organisms

The product does not contain organically bounded halogens (AOX-free).

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· **European waste catalogue**

09 00 00	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01 00	wastes from the photographic industry
09 01 01*	water-based developer and activator solutions

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023


Trade name: Dentamat 500 Entwickler

(Contd. of page 10)

HP4	Irritant - skin irritation and eye damage
HP7	Carcinogenic
HP11	Mutagenic
HP14	Ecotoxic

- **Uncleaned packagings:**
- **Recommendation:**
 Non contaminated packagings can be used for recycling.
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN number or ID number**
 · **ADR/RID, IMDG, IATA** UN3082
- **14.2 UN proper shipping name**
 · **ADR/RID, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)
 · **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone), MARINE POLLUTANT
- **14.3 Transport hazard class(es)**
 · **ADR/RID, IMDG, IATA**

 · **Class** 9 Miscellaneous dangerous substances and articles.
 · **Label** 9
- **14.4 Packing group**
 · **ADR/RID, IMDG, IATA** III
- **14.5 Environmental hazards:** Product contains environmentally hazardous substances: hydroquinone
 · **Marine pollutant:** Symbol (fish and tree)
 · **Special marking (ADR/RID):** Symbol (fish and tree)

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 11)

· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
· ADR/RID	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA	Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDROQUINONE), 9, III

IRL

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 12)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

- **Signal word** Danger
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 14)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 13)

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

· **Decree to be applied in case of technical fault:**

Class	Share in %
I	3.9

· **Water hazard class:**

Water danger class 3 (Self-assessment): highly water-endangering.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.

(Contd. on page 15)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Entwickler

(Contd. of page 14)

H411 Toxic to aquatic life with long lasting effects.

· **Recommended restriction of use** No public product, only for commercial use

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Version number of previous version:** 9.0

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

applicable EEC directives:

- 1907/2006

- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

· **1.1 Product identifier**

· Trade name: Dentamat 500 Fixierer

· Article number: 10095

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture**

Photochemicals
Fixing agent for X-ray films
Reserved for industrial and professional use.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Calbe Chemie GmbH
Stadtfeld 31
D-39240 Calbe
Tel.: +49 (0)39291 425-0
Fax: +49 (0)39291 425-25
e-mail: info@calbe-chemie.de
www.calbe-chemie.de

· **Informing department:**

Tel.: +49 (0)39291 42515
E-Mail: rs@calbe-chemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 (0) 700-24112112 (CAL)
Tel.: +1 872 5888271(CAL)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

EUH031 Contact with acids liberates toxic gas.
EUH210 Safety data sheet available on request.

(Contd. on page 2)

IRL

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer







(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 64-19-7 EINECS: 200-580-7	acetic acid  Flam. Liq. 3, H226  Skin Corr. 1A, H314  Acute Tox. 4, H312 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	2 - 5%
CAS: 62-56-6 EINECS: 200-543-5	thiourea  Carc. 2, H351; Repr. 2, H361d  Aquatic Chronic 2, H411  Acute Tox. 4, H302	≥ 0.5 - < 1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
The product is not skin irritating.
- **After eye contact**
Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 2)

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No known symptoms to date.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire

sulphur dioxide (SO₂)

Nitrogen oxides (NO_x)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

· **Additional information** The product is not flammable

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Not required.

Put on breathing apparatus.

· **6.2 Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

IRL

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 3)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:**
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:** Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64-19-7 acetic acid

OEL (Ireland)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm IOELV
IOELV (European Union)	Short-term value: 50 mg/m ³ , 20 ppm Long-term value: 25 mg/m ³ , 10 ppm

- **Additional information:**
The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 4)

Avoid contact with the eyes.
Avoid contact with the eyes and skin.
Do not eat, drink or smoke while working.

· **Breathing equipment:** Not required.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

· **Penetration time of glove material**

Value for permeation: Level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for the permeation: Level:

\geq 3 (60 min)

· **Eye/face protection** Not required.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Odour:**

Not characteristic

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 5)

· Odour threshold:	Not determined.
· Melting point/freezing point:	< 5 °C
· Boiling point or initial boiling point and boiling range	> 100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH at 25 °C	5.3
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C	1.36 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Solvent content:	
· Organic solvents:	0 %
· Water:	~ 50 %
· Change in condition	
· Evaporation rate	Not determined.

Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 6)

· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong acids and alkali
Reacts with acids releasing sulphur dioxide
Reacts with alkalis releasing ammonia
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Sulphur dioxide
Ammonia

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation**
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 7)

- **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
This statement was deduced from the properties of the single components.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Not determined
- **12.2 Persistence and degradability** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.3 Bioaccumulative potential** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Ecotoxicological effects:**
No further relevant information available.
Not determined
- **Behaviour in sewage processing plants:** Not determined

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 8)

· **Additional ecological information:**

· **General notes:**

This statement was deduced from the properties of the single components.
 Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

At present there are no ecotoxicological assessments.

The product does not contain organically bounded halogens (AOX-free).

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· **European waste catalogue**

09 00 00	WASTES FROM THE PHOTOGRAPHIC INDUSTRY
09 01 00	wastes from the photographic industry
09 01 04*	fixer solutions
HP4	Irritant - skin irritation and eye damage
HP12	Release of an acute toxic gas

· **Uncleaned packagings:**

· **Recommendation:**

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

EAK-No. 15 01 10

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

IRL

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 9)

SECTION 14: Transport information

- **14.1 UN number or ID number**
 · ADR/RID, ADN, IMDG, IATA Void
- **14.2 UN proper shipping name**
 · ADR/RID, ADN, IMDG, IATA Void
- **14.3 Transport hazard class(es)**
 · ADR/RID, ADN, IMDG, IATA
 · Class Void
- **14.4 Packing group**
 · ADR/RID, IMDG, IATA Void
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 65
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
 None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
 None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 10)

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Decree to be applied in case of technical fault:**

Class	Share in %
I	0.9
II	4.9

· **Water hazard class:**

Water hazard class 1 (Self-assessment): weakly water-endangering.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

· **Recommended restriction of use** No public product, only for commercial use

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Version number of previous version:** 9.0

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 27.04.2023

Version 9.1 (replaces version 9.0)

Revision: 27.04.2023

Trade name: Dentamat 500 Fixierer

(Contd. of page 11)

ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

IRL