

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Glanol Metal Polish
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Cleaning material/ Detergent  
Polishing agent/ Burnishing compound
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Glanol GbR  
Heinrich-Heine-Str. 77b  
D-40721 Hilden
- 
- **E-Mail:** info@glanol.com
- **Further information obtainable from:** Product safety department
- **Emergency telephone number:** +49-(0)1805-452655 (Monday to friday: 8 am - 6pm)

### SECTION 2: Hazards identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonised System (GHS).

---

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Repeated exposure may cause skin dryness or cracking.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:**  
The mixture does not contain any PBT (PBT: persistent, bioaccumulative, toxic) substance or does not fulfil criteria for PBT according to annex XIII of regulation (EC) 1907/2006 (< 0,1 %).
- **vPvB:**  
The mixture does not contain any vPvB (vPvB: very persistent, very bioaccumulative) substance or does not fulfil criteria for vPvB according to annex XIII of regulation (EC) 1907/2006 (< 0,1 %).

### SECTION 3: Composition/information on ingredients

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 1344-28-1 EINECS: 215-691-6 Reg.nr.: 01-2119529248-35	aluminium oxide	20-<30%
CAS: 64742-48-9 EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304 EUH066	20-<30%
CAS: 544-60-5 EINECS: 208-873-1 Reg.nr.: 01-2120057728-45	ammonium oleate Aquatic Chronic 3, H412	5-<10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 1)

**SECTION 4: First aid measures**

- **Description of first aid measures**
- **General information:**  
Seek medical treatment.  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:** Fresh air. If pain persists, get medical attention.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Immediately flush eyes with plenty of water with lids lifted. If symptoms persist, seek medical advice.
- **After swallowing:**  
Rinse out mouth with water.  
Give nothing to drink.  
Do not induce vomiting; call for medical help immediately.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
If swallowed or in case of vomiting, danger of entering the lungs.

**SECTION 5: Firefighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Full water jet
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur dioxide (SO<sub>2</sub>)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

**SECTION 6: Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.  
Ensure adequate ventilation  
Particular danger of slipping on leaked/spilled product.
- **Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

-GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 2)

See Section 13 for disposal information.

**SECTION 7: Handling and storage****· Precautions for safe handling**

Observe the usual precautionary measures for handling chemicals.

Avoid contact with eyes.

Avoid close or long term contact with the skin.

Observe use instructions.

**· Information about fire - and explosion protection:** The product is not flammable.**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** Provide solvent resistant, sealed floor.**· Information about storage in one common storage facility:** Store away from oxidising agents.**· Further information about storage conditions:**

Store in dry conditions at 10 - 25 °C.

Protect from frost.

**· Storage class:** 10 - 13 (Germany)**· Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****· Control parameters****· Ingredients with limit values that require monitoring at the workplace:****1344-28-1 aluminium oxide**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup>
	*inhalable dust **respirable dust

**· Additional information:** The lists valid during the making were used as basis.**· Exposure controls****· Appropriate engineering controls** No further data; see item 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

Observe the usual precautionary measures for handling chemicals.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Wash hands before breaks and at the end of work.

**· Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

**· Recommended filter device for short term use:** Filter A**· Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves according EN 374.

Check the permeability prior to each anewed use of the glove.

**· Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mmPenetration time:  $\geq 480$  minutes (Permeation according to EN 374 Part 3: Level 6)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 3)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- **Eye/face protection**

Safety glasses

Goggles should comply with DIN EN 166 or similar standard.

- **Body protection:** Protective work clothing

**SECTION 9: Physical and chemical properties**

- **Information on basic physical and chemical properties**

- **General Information**

· <b>Colour:</b>	Pink
· <b>Odour:</b>	Ammonia-like
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Not determined.
· <b>Boiling point or initial boiling point and boiling range</b>	> 100 °C
· <b>Flammability</b>	Product is not flammable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	9.5 - 11.4
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic at 20 °C:</b>	> 10.000 mPas
· <b>Solubility</b>	
· <b>water:</b>	Dispersible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.10 - 1.40 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

- **Other information**

- **Appearance:**

· **Form:** Pasty

- **Important information on protection of health and environment, and on safety.**

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

- **Solvent content:**

· **Organic solvents:** 15 - 25 %

· **Solids content:** < 40 %

- **Change in condition**

- **Softening point/range**

· **Oxidising properties** Not applicable.

· **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**

· **Explosives** Void

· **Flammable gases** Void

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 4)

· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
Do not expose to temperatures exceeding 50 °C.
- **Possibility of hazardous reactions** Reacts with strong acids and oxidising agents.
- **Conditions to avoid** Protect from frost.
- **Incompatible materials:**  
strong oxidizing agents  
Acids
- **Hazardous decomposition products:** Hydrogen

**SECTION 11: Toxicological information**

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

**64742-48-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
Prolonged/repeated contact may cause defatting of the skin which can lead to dermatitis.
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
No further relevant information available.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

Trade name: **Glanol Metal Polish**

(Contd. of page 5)

### SECTION 12: Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**64742-48-9 Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

EC50 >1,000 mg/l (algae) (96 h)

>1,000 mg/l (fish) (96 h)

LC50 >1,000 mg/l (fish)

· **Persistence and degradability** The contained surfactants are easily biodegradable

· **Bioaccumulative potential** Bioaccumulation potentially possible.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **Other adverse effects**

· **Additional ecological information:**

· **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Smaller quantities can be disposed of with household waste.

Dispose of in accordance with all applicable local and national regulations.

· **Uncleaned packaging:**

· **Recommendation:**

Dispose of in accordance with all applicable local and national regulations.

Non contaminated packaging may be recycled.

### SECTION 14: Transport information

· **UN number or ID number**

· **ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

· **Packing group**

· **ADR, IMDG, IATA** Void

· **Environmental hazards:**

· **Marine pollutant:** No

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 6)

· <b>Special precautions for user</b>	Not applicable.
· <b>Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Product is not readily combustible according to UN method N.I.
· <b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed, if applicable.
- **Chemical safety assessment:**  
A Chemical Safety Assessment has not been carried out, because it is not necessary for mixtures.

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Liability excluded.*

- **Relevant phrases**  
H304 May be fatal if swallowed and enters airways.  
H412 Harmful to aquatic life with long lasting effects.  
EUH066 Repeated exposure may cause skin dryness or cracking.
- **Department issuing SDS:**  
AVT Abfüll- und Verpackungstechnik GmbH  
Otto-Hahn-Str. 42  
D-42369 Wuppertal  
Tel: +49-(0)202-27474-0
- **Contact:** Mr. Dennis Fischer
- **Abbreviations and acronyms:**  
GB CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008  
UK REACH: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.  
EC50: effective concentration, 50 percent  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
VCI: Verband der chemischen Industrie, Deutschland (German chemical industry association)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.06.2022

Version number 4 (replaces version 3)

Revision: 29.06.2022

**Trade name: Glanol Metal Polish**

(Contd. of page 7)

*PBT: persistent, bioaccumulative, toxic**vPvB: very persistent, very bioaccumulative**Asp. Tox. 1: Aspiration hazard – Category 1**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3***Sources**

*The safety data sheet was prepared with the help of the relevant MSDS of the raw materials, data from the ECHA databases, current literature references and the guidelines of ECHA for the preparation of safety data sheets.*

- \* Data compared to the previous version altered.*

GB