

according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

Page: 1 / 8

1. Identification of the Substance / Preparation and Company:

1.1 Product identifier

Commercial product name: HinriPress liquid Product group: Liquid component

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture: Creation of dental products

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: ERNST HINRICHS Dental GmbH

 Street / mailbox:
 Borsigstr. 1

 Country code. / postal code / city:
 D - 38644 Goslar

 Phone:
 0 53 21 / 5 06 24

 Fax:
 0 53 21 / 5 08 81

E-mail / Website: info@hinrichs-dental.de / www.hinrichs-dental.de

Further information obtainable from: ERNST HINRICHS Dental GmbH

1.4 Emergency telephone number

ERNST HINRICHS Dental GmbH: +49 (0) 53 21 / 5 06 24 - 25 (Mon-Fri. 8 a.m. – 4 p.m.)

2. Hazards Identification:

2.1 Classification of the substance or mixture:

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes skin irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

2.2 Label elements:

Hazard components for labelling: Methyl methacrylate

1,4-Butandiol dimethacrylate

Signal word: Danger

Pictograms:



2.3



Hazard statements:

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P235 Store in a well-ventilated place. Keep cool.
Other hazards No information available.



according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

Page: 2 / 8

Composition / Information on Ingredients: 3.

3.2	Mixtures

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification acc	ording to Regulation (E	C) No. 1272/2008 [CLP]	
80-62-6	Methyl methacryla	ate		90 - < 95 %
	201-297-1		01-2119452498-28	3
	Flam. Liq. 1, Skin H335	Irrit. 2, Skin Sens. 1, 5	STOT SE 3; H224 H315 H3	17
2082-81-7	1,4-Butandiol dim	ethacrylate		5 - < 10 %
	218-218-1			
	Skin Sens. 1; H31	7		

Full text of R-, H- and EUH-phrases: see section 16.

First aid measures:

4.1	Description of first aid measures:	
	General information:	Remove contaminated, saturated clothing immediately. If skin

irritation or rash occurs get medical advice/attention. If eye

irritation persists get medical advice/attention.

After inhalation: Provide fresh air. When in doubt or if symptoms are observed,

get medical advice.

After contact with skin: After contact with skin, wash immediately with polyethylene

glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical

treatment necessary.

No information available.

After contact with eyes: After contact with the eyes, rinse with water with the eyelids open

for a sufficient length of time, then consult an ophthalmologist

immediately.

After ingestion: Observe risk of aspiration if vomiting occurs. Rinse mouth

immediately and drink plenty of water.

4.2 Most important symptoms and effects, both

acute and delayed:

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Fire Fighting measures:

a :

4.3

5.3

Suitable extinguishing media: Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media: Water.

Special hazards arising from the substance Flammable. Vapours can form explosive mixtures with air.

5.2

or mixture: Advice for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information: Use water spray jet to protect personnel and to cool endangered

containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not

allow entering drains or surface water.

Accidental release measures:

6.1	Personal precautions, protective	Remo	ove all sourc	es of ignition	n. Provide adequate	ventilation. Do

equipment and emergency procedures: not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes. Use personal

protection equipment.

Do not allow uncontrolled discharge of product into the 6.2 Environmental precautions:

environment. Danger of explosion



Page: 3 / 8

according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

6.3

Methods and material for containment and Absorb with liquid-binding material (e.g. sand, diatomaceous

cleaning up: earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on

waste disposal.

6.4 Reference to other sections: Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

7. Handling and Storage:

7.1 Precautions for safe handling:

Advice on safe handling: If handled uncovered, arrangements with local exhaust ventilation

have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion:

and Keep away from sources of ignition. - No smoking. Take

precautionary measures against static discharges. Vapours can

form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and

vessels:

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

Advice on storage compatibility: Do not store together with: Oxidising agent. Pyrophoric or self-

heating substances.

7.3 Specific end use(s): Dental prosthesis.

8. Exposure controls / Personal protection:

8.1 Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Substance						
DNEL type		Exposure route	Effect	Value				
80-62-6	Methyl methacrylate							
Worker DNEL,	long-term	inhalation		208 mg/m ³				
Worker DNEL, long-term		dermal		17 mg/kg bw/day				

8.2 Exposure controls:

Appropriate engineering controls: If handled uncovered, arrangements with local exhaust ventilation

have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures: Remove contaminated, saturated clothing immediately. Draw up and

observe skin protection programme. Wash hands and face before

breaks and after work and take a shower if necessary.

When using do not eat or drink.

Eye/face protection: Wear eye/face protection.

Hand protection: When handling with chemical substances, protective gloves must be

worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned

above together with the supplier of these gloves.

Skin protection: Flame-retardant protective clothing. Wear anti-static footwear and

clothing.

Respiratory protection: In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

Page: 4 / 8

9.	Physical and chemical properties:
0.1	Information on book physical and shamical proportion

9.1	inionnation on basic physical an	a chemical properties
	Physical state:	liquid
	Colour:	colourless
	Odour:	characteristic

pH-Value: not determined

Changes in the physical state:

Melting point: -48 °C Initial boiling point and boiling range: 100,5 °C Flash point: 10 °C

Flammability

Solid: not applicable Gas: not applicable 2,1 vol. % Lower explosion limits: Upper explosion limits: 12,5 vol. % Ignition temperature: 421 °C

Auto-ignition temperature:

Solid: not applicable not applicable Gas: Decomposition temperature: not determined Oxidizing properties Not oxidizing.

Vapour pressure:

(at 20 °C) 36 hPa Density (at 15,5 °C): 0,949 g/cm³

Water solubility:

(at 20 °C) 12,5 g/L

Solubility in other solvents: not determined

Partition coefficient: 1,38

Viscosity / dynamic (at 20 °C):

0,53 mPa·s

Vapour density (at 20 °C): 3.5

Evaporation rate: not determined

9.2 Other information

> Solid content: not determined

10. Stability and Reactivity:

10.1	Reactivity:	Flammable, Ignition nazard.
10.2	Chemical stability:	The product is stable under st

The product is stable under storage at normal ambient Chemical stability:

temperatures.

No known hazardous reactions. 10.3 Possibility of hazardous reactions:

Conditions to avoid: 10.4 Keep away from sources of heat (e.g. hot surfaces), sparks and

open flames. Vapours can form explosive mixtures with air.

10.5 No information available. Incompatible materials:

Hazardous decomposition products No known hazardous decomposition products. 10.6

11. **Toxicological Information:**

11.1 Information on toxicological effects:

> Acute toxicity: Based on available data, the classification criteria are not met.

ATEmix tested

Dose **Species** Source LD50, oral Rat 7870 mg/kg LD50, dermal > 5000 mg/kg Rabbit LC50, inhalative (vapour) (4h) 78 mg/l Rat



according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019 Page: 5 / 8

HinriPress liquid

CAS No	Chemical name								
	Exposure routes	Dose		Species	Source	Method			
80-62-6	Methyl methacrylate								
	oral	LD50	>5000 mg/kg	Rat	OECD 401				
	dermal	LD50	>5000 mg/kg	Rabbit					
	inhalative vapour	LC50	29,8 mg/l	Rat					
2082-81-7	1,4-Butandiol dimethacrylate		-						
	oral	LD50	>10000 mg/kg	Rat					

Irritation and corrosivity:

dermal

Sensitising effects:

Carcinogenic/mutagenic/toxic effects for

reproduction:

STOT-single exposure: STOT-repeated exposure Aspiration hazard:

Additional information on tests:

Causes skin irritation. Serious eye damage/eye irritation: Based

on available data, the classification criteria are not met. May cause an allergic skin reaction. (Methyl methacrylate) Based on available data, the classification criteria are not met.

May cause respiratory irritation. (Methyl methacrylate)

>3000 mg/kg Rabbit

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. This mixture is classified as hazardous according to regulation

(EC) No. 1272/2008 [CLP].

12. **Ecological Information:** Information on elimination (persistence degradability)

LD50 LD50

12.1 Acute (short-term) fish toxicity **Toxicity**

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
80-62-6	Methyl methacrylate)					
	Acute fish toxicity	LC50	> 79mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae	ErC50	> 110 mg/l	72 h	Selenastrum	OECD 201	
	toxicity				capricornutum		
	Acute crustacea	EC50	69 mg/l	48 h	Daphnia magna (Big	OECD 202	
	toxicity				water flea)		
	Crustacea toxicity	NOEC	37 mg/l	21 d	Daphnia magna (Big waterflea)	OECD 202	
2082-81-7	1,4-Butandiol dimet	hacrylate			·		
	Acute fish toxicity	LC50	32,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea	EC50	7,51 mg/l	48 h	Daphnia magna	OECD 211	
	toxicity		J		(Big water flea)		
	Crustacea toxicity	NOEC	7,51 mg/l		Selenastrum		
					capricornutum		

12.2 Persistence and degradability: Biodegradable.

12.3 Bioaccumulative potential: On the basis of existing data about the elimination/degradation and

bioaccumulation potential longer term damage to the environment is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
80-62-6	Methyl methacrylate	1,38
2082-81-7	1,4-Butandiol dimethacrylate	3,1

12.4 Mobility in soil: No adsorption in soil or sediment.

12.5 Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH,

annex XIII.



Page: 6 / 8

according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

12.6 Other adverse effects: No information available.

Further information: Avoid release to the environment.

13. Disposal Considerations:

13.1 Waste treatment methods:

Advice on disposal: Do not allow to enter into surface water or drains. Dispose of

waste according to applicable legislation.

Waste disposal number of waste from residues/unused products:

070208: WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of

plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues

Classified as hazardous waste.

Contaminated packaging: Non-contaminated packages may be recycled. Handle

contaminated packages in the same way as the substance itself.

14. Transport information:

	Land transport (ADR/RID):	
14.1	UN number:	UN 1247

14.2 UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3 Transport hazard class(es): 3
14.4 Packing group: II

Packing group: II
Hazard label: 3
Classification code: F1

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

Transport category:

2

D/E

Other applicable information (land SAPT: > 60 °C

transport)

Inland waterways transport (ADN)

14.1 UN number: UN 1247

14.2 UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3 Transport hazard class(es): 3
14.4 Packing group: II

Hazard label: 3
Classification code: F1
Limited quantity: 1
Excepted quantity: E2

Other applicable information (inland SAPT: > 60 °C

waterways transport)

Marine transport (IMDG)

14.1 UN number: UN 1247

14.2 UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3 Transport hazard class(es): 314.4 Packing group: II

Hazard label: 3
Special Provisions: Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Other applicable information (marine

transport) SAPT: > 60 °C

Air transport (ICAO-TI/IATA-DGR)

14.1 UN number: UN 1247

14.2 UN proper shipping name: METHYL METHACRYLATE MONOMER, STABILIZED

14.3 Transport hazard class(es):



Page: 7 / 8

according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019

HinriPress liquid

14.4 Packing group: Ш

Hazard label: 3 Limited quantity Passenger: 1 L Passenger LQ: Y-341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364

Other applicable information (air transport) SAPT: > 60 °C

14.5 Environmental hazards

> **ENVIRONMENTALLY HAZARDOUS:** nο

14.6 Special precautions for user

> Warning: Combustible liquids.

14.7 Transport in bulk according to Annex II of

IATA-max. quantity - Cargo:

MARPOL73/78 and the IBC Code not applicable

15. Regulatory information:

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

60 L

EU regulatory information

2010/75/EU (VOC): 95 % (901,55 g/l) 2004/42/EC (VOC): 95 % (901,55 g/l) P5c FLAMMABLE LIQUIDS

Information according to 2012/18/EU

(SEVESO III):

Additional information To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the

'juvenile work protection guideline' (94/33/EC). Observe

employment restrictions under the Maternity Protection Directive

(92/85/EEC) for expectant or nursing mothers.

1 - slightly water contaminating Water contaminating class (D):

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Chemical safety assessments for substances in this mixture were 15.2 Chemical safety assessment

not carried out.

16. Other information

16.1 Abbreviations and acronyms

> ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

International Maritime Code for Dangerous Goods IMDG:

IATA: International Air Transport Association

Globally Harmonized System of Classification and Labelling of Chemicals GHS:

European Inventory of Existing Commercial Chemical Substances EINECS:

ELINCS: European List of Notified Chemical Substances

CAS Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Irrit. 2; H315	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)



according to Regulation (EC) No 1907/2006

Revision date: 13.09.2018 Revision No: 1,01 - Replaces version: 1 Date of printing: 12.02.2019 Page: 8 / 8

HinriPress liquid

H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

16.2 Further Information:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.