

according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Primeprint Model

UFI: AYPY-60YS-400H-E40K; CSKY-G0F2-T006-XGF6; DCPY-P050-0001-SQX4;

S981-51K8-K004-UA2W

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Ligth-curing resin for the generative fabrication of dental models.

### 1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

**1.4. Emergency telephone** +1-800-424-9300 (CHEMTREC worldwide)

number:

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 1B; H360D Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### **GB CLP Regulation**

### Hazard components for labelling

aliphatic urethane acrylate tripropyleneglycol diacrylate @0000030536.1

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Signal word: Danger

Pictograms:





### **Hazard statements**

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.



according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 2 of 11

# **Precautionary statements**

P201 Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/ container in accordance with local and national regulations.

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Chemical characterization**

Mixture of acrylic/ methacrylic resins with auxilliary matters.

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	)			
2143103-44-8	aliphatic urethane acrylate			45 - < 50 %	
	944-336-4		01-2120266262-60		
	Skin Sens. 1B, Aquatic Chronic 3;	H317 H412			
	acrylated resin			15 - < 20 %	
	Eye Irrit. 2; H319				
42978-66-5	tripropyleneglycol diacrylate	5 - < 10 %			
	256-032-2		01-2119484613-34		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Chronic 2; H315 H319 H317 H335 H411				
2455-24-5	tetrahydrofurfuryl methacrylate TH	1 - < 5 %			
	219-529-5		01-2120748481-53		
	Repr. 1B, Skin Sens. 1, Aquatic Chronic 3; H360 H317 H412				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)ph	1 - < 5 %			
	278-355-8	015-203-00-X	01-2119972295-29		
	Repr. 2, Skin Sens. 1B, Aquatic Cl	nronic 2; H361 H317 H411	•		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-	< 1 %			
	423-340-5	015-189-00-5	01-2119489401-38		
	Skin Sens. 1A, Aquatic Chronic 4; H317 H413				

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 3 of 11

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	Limits, M-factors and ATE	
2143103-44-8	944-336-4	aliphatic urethane acrylate	45 - < 50 %
	oral: LD50 = >5	5000 mg/kg	
		acrylated resin	15 - < 20 %
	dermal: LD50 =	=>2000 mg/kg; oral: LD50 = >2000 mg/kg	
42978-66-5	256-032-2	tripropyleneglycol diacrylate	5 - < 10 %
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = 6200 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1 - < 5 %
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	< 1 %
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures





according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 4 of 11

### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

### Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

### 7.3. Specific end use(s)

Ligth-curing resin for the generative fabrication of dental models.

For use by trained specialist staff.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 5 of 11

### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
Worker DNEL	, long-term	inhalation	systemic	0,822 mg/m³	
Worker DNEL	., long-term	dermal	systemic	0,233 mg/kg bw/day	
Consumer DN	IEL, long-term	inhalation	systemic	0,145 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,0833 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,0833 mg/kg bw/day	

### 8.2. Exposure controls

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

# Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid:

Colour: several shades, according to the product name

Odour: faintly like esters

Test method

# Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Flash point: >100 °C DIN 51755

Flammability

Solid/liquid: not applicable
Gas: not applicable

### **Explosive properties**

The product is not: Explosive.



according to UK REACH Regulation

### **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 6 of 11

Lower explosion limits: not determined Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: >=190 °C
pH-Value: not determined
Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm³ DIN 51757

Relative vapour density: not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Oxidizing properties Not oxidizing.

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

# 10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.



according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2143103-44- 8	aliphatic urethane ad	crylate				
	oral	LD50 mg/kg	>5000	Ratte	Lieferanten-Sicherheit sdatenblatt	OECD 401
	acrylated resin					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
42978-66-5	3-66-5 tripropyleneglycol diacrylate					
	oral	LD50 mg/kg	6200	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
75980-60-8	diphenyl(2,4,6-trimet	thylbenzoyl)pho	sphine oxide			
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
162881-26-7	phenyl bis(2,4,6-trim	ethylbenzoyl)-p	hosphine oxi	de		
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Rat	OECD 402	

# Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (aliphatic urethane acrylate; tripropyleneglycol diacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

# Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 8 of 11

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
2143103-44- 8	aliphatic urethane acrylate	aliphatic urethane acrylate							
	Acute fish toxicity	LC50	18 mg/l	96 h	Oncorhynchus mykiss	Lieferanten-SDB	OECD 203		
	Acute crustacea toxicity	EC50 mg/l	15.9	48 h	Daphnia magna	Lieferanten-SDB	OECD 202		
	Acute bacteria toxicity	(EC50 mg/l)	25.4		Pseudokirchneriella subcapitata	Lieferantern-SDB	OECD 201		
42978-66-5	tripropyleneglycol diacryla	ite							
	Acute fish toxicity	LC50 mg/l	4,5-10	96 h	Leuciscus idus (golden orfe)				
	Acute algae toxicity	ErC50	>28 mg/l	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50 mg/l	88,7	48 h	Daphnia magna (Big water flea)				
2455-24-5	tetrahydrofurfuryl methacrylate THFMA purified grade								
	Acute fish toxicity	LC50 mg/l	34,7	96 h		GESTIS			
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	ohine oxide			_			
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)				
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge				
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-pho	osphine oxid	е					
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203			
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202			
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211			
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209				

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	•	-		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
		0-10%	28		
	Not readily biodegradable (according to OECD criteria)				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	CO2 formation (% of the theoretical value). 1% 29				
	Not readily biodegradable (according to OECD criteria)				

# 12.3. Bioaccumulative potential

The product has not been tested.



according to UK REACH Regulation

	Primeprint Model	
Revision date: 15.10.2021	Product code: 935	Page 9 of 11

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

### **BCF**

CAS No	Chemical name	BCF	Species	Source
1	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

Not identivied as PBT/ vPvB substances

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

**Primeprint Model** 

Revision date: 15.10.2021 Product code: 935 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50%





according to UK REACH Regulation

# **Primeprint Model**

Revision date: 15.10.2021 Product code: 935 Page 11 of 11

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

# Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 1B; H360D	Calculation method
Aquatic Chronic 3; H412	Calculation method

# Relevant H and EUH statements (number and full text) H315 Causes skin irritation.

	-,
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

May cause an allergic skin reaction.

EUH210 Safety data sheet available on request.

### **Further Information**

H315 H317

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)