

according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Primeprint Model T

```
UFI:
```

PGJ0-M18E-S00E-TM2H

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ligth-curing resin for the generative fabrication of dental models.

1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable d	uring office hours
	(Monday - Thursday 8.00 a.m	5.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTREC \	worldwide)
and the second sec		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 2; H361 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

isopropylidenediphenol peg dimethacrylate @0000030430.1 Hydroxy propyl methacrylate tetrahydrofurfuryl methacrylate THFMA purified grade diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide @0000030484.2 @0000030430.2 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Signal word:

Warning





Hazard statements H315

Causes skin irritation.



according to UK REACH Regulation

Primeprint Model T Revision date: 30.11.2021 Product code: 932 Page 2 of 14 H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects. H412 **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. P362+P364 P501 Dispose of contents/ container in accordance with local and national regulations. Special labelling of certain mixtures EUH210 Safety data sheet available on request. 2.3. Other hazards No information available. **SECTION 3: Composition/information on ingredients**

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.



Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 3 of 14

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo	-3,14-dioxa-5,12-diazahex	adecane-1,16-diyl bismethacrylate	35 - < 40 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
41637-38-1	isopropylidenediphenol peg dimeth	nacrylate		35 - < 40 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413			
72829-09-5	1,12-Dodecanediol Dimethacrylate	:		5 - < 10 %
	276-900-4		01-2120756306-53	
	Skin Sens. 1B, Aquatic Acute 1, A	quatic Chronic 1; H317 H4	00 H410	
27813-02-1	Hydroxy propyl methacrylate	1 - < 5 %		
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319 H3	17		
2455-24-5	tetrahydrofurfuryl methacrylate TH	1 - < 5 %		
	219-529-5		01-2120748481-53	
	Repr. 1B, Skin Sens. 1, Aquatic Cl	nronic 3; H360 H317 H412		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)ph	osphine oxide		0,1 - < 5 %
	278-355-8	015-203-00-X	01-2119972295-29	
	Repr. 2, Skin Sens. 1B, Aquatic Cl	nronic 2; H361 H317 H411	-	
868-77-9	2-hydroxyethyl methacrylate			1 - < 5 %
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1; H315 H319 H317	-	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			< 1 %
	423-340-5	015-189-00-5	01-2119489401-38	
	Skin Sens. 1A, Aquatic Chronic 4;	H317 H413		

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 4 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
72869-86-4 276-957-5		7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	35 - < 40 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg			
41637-38-1	609-946-4	isopropylidenediphenol peg dimethacrylate	35 - < 40 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg			
72829-09-5	276-900-4	1,12-Dodecanediol Dimethacrylate	5 - < 10 %		
	oral: LD50 = >2000 mg/kg				
27813-02-1	248-666-3	Hydroxy propyl methacrylate	1 - < 5 %		
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >2000 mg/kg			
75980-60-8	980-60-8 278-355-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		0,1 - < 5 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg			
868-77-9	212-782-2	2-hydroxyethyl methacrylate	1 - < 5 %		
	dermal: LD50 = >5000 mg/kg; oral: LD50 = 5564 mg/kg				
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	< 1 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 5 of 14

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Ligth-curing resin for the generative fabrication of dental models. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 6 of 14

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
Worker DNEL	, long-term	inhalation	systemic	0,822 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,233 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	0,145 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,0833 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,0833 mg/kg bw/day		

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid: blue	
Odour:	faintly like esters	
		Test method
Changes in the physical state		
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	not determined	

>100 °C DIN 51755

not applicable not applicable

Explosive properties

The product is not: Explosive.

Flash point:

Flammability Solid/liquid:

Gas:



according to UK REACH Regulation

	Primeprint Model T	
Revision date: 30.11.2021	Product code: 932	Page 7 of 14
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Self-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	>=190 °C	
pH-Value:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,09 g/cm³	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard clas	ses	
Oxidizing properties Not oxidizing.		
Other safety characteristics		
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alcaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 8 of 14

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
72869-86-4	7,7,9(or 7,9,9)-trimeth	nyl-4,13-dioxo-3	3,14-dioxa-5,	12-diazahexadecan	e-1,16-diyl bismethacrylate			
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			
41637-38-1	isopropylidenediphen	ol peg dimetha	crylate					
	oral	LD50 mg/kg	>2000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
72829-09-5	1,12-Dodecanediol D	imethacrylate						
	oral	LD50 mg/kg	>2000	Rat				
27813-02-1								
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>5000	Rabbit				
75980-60-8	diphenyl(2,4,6-trimeth	nylbenzoyl)pho	sphine oxide					
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
868-77-9	2-hydroxyethyl metha	acrylate						
	oral	LD50 mg/kg	5564	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
162881-26-7	phenyl bis(2,4,6-trime	ethylbenzoyl)-pl	hosphine oxi	de				
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 1,12-Dodecanediol Dimethacrylate; Hydroxy propyl methacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child. (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 9 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



Primeprint Model T

according to UK REACH Regulation

Revision date: 30.11.2021

Product code: 932

Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate						
	Acute crustacea toxicity	EC50 mg/l	>1,2		Daphnia magna (Big water flea)	OECD 202	
41637-38-1	isopropylidenediphenol pe	eg dimethacryl	late				
	Acute fish toxicity	LC50 mg/l	>100	96 h			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			
72829-09-5	1,12-Dodecanediol Dimet	hacrylate					
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia		
27813-02-1	Hydroxy propyl methacryl	ate					
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
2455-24-5	tetrahydrofurfuryl methacr	ylate THFMA	purified gra	ade			
	Acute fish toxicity	LC50 mg/l	34,7	96 h		GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosph	ine oxide	-	-		
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
162881-26-7	phenyl bis(2,4,6-trimethyll	1 7 / 1	•	r		T	T
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 11 of 14

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
27813-02-1	Hydroxy propyl methacrylate				
	OECD	94%	28		
	Readily biodegradable (according to OECD criteria).				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
		0-10%	28		
	Not readily biodegradable (according to OECD criteria)				
868-77-9	2-hydroxyethyl methacrylate	-			
		92-100%	14		
	Readily biodegradable (according to OECD criteria).				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	CO2 formation (% of the theoretical value).	1%	29		
	Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
27813-02-1	Hydroxy propyl methacrylate	0,97
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. Not identivied as PBT/ vPvB substances

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 12 of 14

substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.2. UN proper shipping name:	9
14.3. Transport hazard class(es):	y III
14.4. Packing group:	
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity: EmS:	
-	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 13 of 14

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII)	:
Entry 3, Entry 75	
2010/75/EU (VOC):	1,116 % (12,161 g/l)
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

3 - highly hazardous to water

Causes allergic hypersensitivity reactions.

Water hazard class (D): Skin resorption/Sensitization:

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



according to UK REACH Regulation

Primeprint Model T

Revision date: 30.11.2021

Product code: 932

Page 14 of 14

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 2; H361	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)