

Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Alka 300

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains potassium hydroxide; sodium hypochlorite, solution; potassium silicate

Supplemental information

EUH031 Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

potassium silicate

CAS No. 1312-76-1 EINECS no. 215-199-1

Registration no. 01-2119456888-17

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1B
 H314

 Eye Dam. 1
 H318

sodium hypochlorite, solution

CAS No. 7681-52-9 EINECS no. 231-668-3

Registration no. 01-2119488154-34

Concentration >= 2.5 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

EUH031 >= 5 %

Aquatic Acute 1 M = 10

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

potassium hydroxide

CAS No. 1310-58-3 EINECS no. 215-181-3

Registration no. 01-2119487136-33

Concentration >= 0,5 < 2 %



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Acute Tox. 4 H302 Route of exposure: oral

Skin Corr. 1A H314 Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 >= 0.5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0.5 < 2 %

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > -10 < 25 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

Further information on storage conditions

Protect from heat and direct sunlight. Do not keep the container sealed.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

potassium hydroxide

List EH40 Type WEL

Short term exposure limit 2 mg/m³

Status: 2011



Print date: 14.04.22 Replaces Version: 3 / GB Date revised: 16.11.2021 Version: 4 / GB

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter B-P3

Hand protection

Chemical resistant gloves

Use Permanent hand contact Appropriate Material neoprene Material thickness 0.65 >= mm Breakthrough time 480 min Appropriate Material nitrile Material thickness >= 0,4 mm Breakthrough time 480 min Appropriate Material butyl Material thickness 0.7 >= mm Breakthrough time 480 min Use Short-term hand contact nitrile Appropriate Material Material thickness 0.11 mm

Hand protection must comply with EN 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid vellow Colour characteristic Odour

Odour threshold

Remarks not determined

pH value

Value 14 appr. Temperature 20

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

°C Value appr. 100

Flash point

°C



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation Not applicable

Upper/lower flammability or explosive limits

Remarks Not applicable

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value 1,37 g/cm³

Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks not determined

Viscosity

dynamic

Value < 50 mPa.s

Temperature 20 °C

Explosive properties

evaluation no

Oxidising properties

Remarks not determined

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Do not keep the container sealed. Protect from heat and direct sunlight.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

10.5. Incompatible materials

Strong exothermic reaction with acids. Evolution of chlorine under influence of acids. Corrodes aluminium.

10.6. Hazardous decomposition products

Chlorine, Irritant gases/vapours

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

ATE > 10.000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

potassium hydroxide

Species rat

LD50 333 mg/kg

sodium hypochlorite, solution Species ra

LD50 1100 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

sodium hypochlorite, solution

Species rabbit

LD50 > 20000 mg/kg

Method OECD 402

Acute inhalational toxicity

ATE > 100 mg/l

Administration/Form Vapors

Method calculated value (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

sodium hypochlorite, solution

Species rat

LC50 10,5 mg/l

Duration of exposure 1 h

Administration/Form Vapors
Method OECD 403

Skin corrosion/irritation

evaluation corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation corrosive

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

potassium hydroxide

Species mosquito fish

LC50 80 mg/l

Duration of exposure 24 h

Source ECHA

sodium hypochlorite, solution

Species rainbow trout (Oncorhynchus mykiss)

LC50 0,06 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

sodium hypochlorite, solution

Species Daphnia magna

EC50 0,141 mg/l

Duration of exposure 48 h

Method OECD 202

Algae toxicity (Components)

sodium hypochlorite, solution

EC50 0,0499 mg/l

Duration of exposure 7 d Source Manufacturer's data

Bacteria toxicity (Components)

sodium hypochlorite, solution

Species activated sludge

EC50 77,1 mg/l



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

h

Duration of exposure

3

Method

OECD 209

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
14.1. UN number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)
14.3. Transport hazard class(es)	8	8	8
Label	S. S		S. S
14.4. Packing group	III	III	III
Limited Quantity	51		
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY	Marine Pollutant	ENVIRONMENTALLY
	HAZARDOUS	_	HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category E1 Hazardous to the Aquatic 100.000 kg 200.000 kg

Environment

Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %:

phosphates

less than 5 %:

chlorine-based bleaching agents



Version: 4 / GB Replaces Version: 3 / GB Date revised: 16.11.2021 Print date: 14.04.22

VOC

VOC (EU) 0 %

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1

Eye Dam. 1 Serious eye damage, Category 1

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1A Skin corrosion, Category 1A Skin Corr. 1B Skin corrosion, Category 1B

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.